

Page: 1

Compilation date: 18/11/14

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EVERCRYL ONE COAT

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

of the supplier of the safety data sheet			
Company name:	EVERBUILD BUILDING PRODUCTS LTD		
	SITE 41, KNOWSTHORPE WAY		
	CROSS GREEN INDUSTRIAL ESTATE		
	LEEDS		
	WEST YORKSHIRE		
	LS9OSW		
	ENGLAND		
Tel:	0044 113 240 3456		
Fax:	0044 113 240 0024		
Email:	sds@everbuild.co.uk		
	h.a.u		

1.4. Emergency telephone number

Emergency tel:	0044 113 240 3456 (office hours only)	
Manufacturer:	EVERBUILD BUILDING PRODUCTS LTD	
	Site 41	
	Knowsthorpe Way, Cross Green Industrial Estate	
	Leeds	
	West Yorkshire	
	LS9 0SW	
	United Kingdom	
	Tel: (0044) 113 240 3456	
	Fax: (0044) 113 240 0024	
	Emergency tel: (0044) 113 240 3456	
	Email: sds@everbuild.co.uk	

Section 2: Hazards identification

2.1. Classification of the substance or mixture			
Classification under CHIP:	-: R10; N: R51/53; -: R64; -: R67		
Classification under CLP:	Aquatic Chronic 2: H411; Flam. Liq. 3: H226; Lact.: H362		
Most important adverse effects:	Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the		
	aquatic environment. May cause harm to breastfed babies. Vapours may cause		
	drowsiness and dizziness.	[a a set]	

EVERCRYL ONE COAT

2.2. Label elements

Label elements under CLP: Hazard statements: H226: Flammable liquid and vapour. H362: May cause harm to breast-fed children. H411: Toxic to aquatic life with long lasting effects. Signal words: Warning Hazard pictograms: GHS02: Flame GHS09: Environmental Precautionary statements: P243: Take precautionary measures against static discharge. P201: Obtain special instructions before use. P103: Read label before use. P102: Keep out of reach of children. P263: Avoid contact during pregnancy/while nursing. P264: Wash hands thoroughly after handling. P403+235: Store in a well-ventilated place. Keep cool. P260: Do not breathe vapours. P501: Dispose of contents to hazardous waste. P273: Avoid release to the environment. P391: Collect spillage. P242: Use only non-sparking tools. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower. P308+313: IF exposed or concerned: Get medical advice. P370+378: In case of fire: Use carbon dioxide for extinction. Label elements under CHIP: Hazard symbols: Dangerous for the environment.



Risk phrases: R10: Flammable.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R64: May cause harm to breastfed babies.

R67: Vapours may cause drowsiness and dizziness.

EVERCRYL ONE COAT

Safety phrases: S2: Keep out of the reach of children.

S7/9: Keep container tightly closed and in a well-ventilated place.

S16: Keep away from sources of ignition - No smoking.

S36/37: Wear suitable protective clothing and gloves.

S43: In case of fire, use carbon dioxide.

S29: Do not empty into drains.

S46: If swallowed, seek medical advice immediately and show this container or label.

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCARBONS, C9, AROMATICS

EINECS	CAS	CHIP Classification	CLP Classification	Percent
918-668-5	-	-: R10; Xi: R37; N: R51/53; Xn: R65; -: R66; -: R67	-	10-30%

ALKANES, C14-17, CHLORO

287-477-0	85535-85-9	-: R64; -: R66; N: R50/53	Lact.: H362; Aquatic Chronic 1: H410;	1-10%
			Aquatic Acute 1: H400	

CUMENE

202-704-5	98-82-8	-: R10; Xi: R37; N: R51/53; Xn:	Flam. Liq. 3: H226; Asp. Tox. 1: H304;	<1%
		R65	STOT SE 3: H335; Aquatic Chronic 2:	
			H411	

QUATERNARTY AMMONIUM SALT

263-082-9	61789-73-9	-: R10; Xn: R22; Xi: R38; Xi: R41;	-	<1%
		N: R50		

2-METHOXYPROPYL ACETATE

274-724-2	70657-70-4	T: R61; -: R10; Xi: R37	Flam. Liq. 3: H226; Repr. 1B: H360D;	<1%	
			STOT SE 3: H335		

Section 4: First aid measures

4.1. Description of first aid measures	

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Page: 3

EVERCRYL ONE COAT

Page: 4

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Dry chemical powder. Carbon dioxide. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

EVERCRYL ONE COAT

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed. Store in original
	containers between +5 and +25°C. Storage outside these paramaters will dramatically
	reduce shelf life and invalidates all product warrenties.
Suitable packaging:	Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

CUMENE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	125 mg/m3	250 mg/m3	-	-

Respirable dust

2-METHOXYPROPYL ACETATE

UK 28 mg/m3 112 mg/m3 -	-	
-------------------------	---	--

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Protective gloves.
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Various
Odour:	Sweet-smelling
Evaporation rate:	Moderate
Solubility in water:	Insoluble
Also soluble in:	Most organic solvents.
Viscosity:	Viscous
Boiling point/range°C:	145-181 Flash point°C: 35
VOC g/l:	max 450

EVERCRYL ONE COAT

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

CUMENE

ORL	MUS	LD50	12750	mg/kg
ORL	RAT	LD50	1400	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact:There may be irritation and redness at the site of contact.Eye contact:There may be pain and redness. The eyes may water profusely. There may be severe
pain. The vision may become blurred. May cause permanent damage.Ingestion:There may be soreness and redness of the mouth and throat. Nausea and stomach
pain may occur.Inhalation:There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

Page: 6

EVERCRYL ONE COAT

Page: 7

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste code number: 08 04 09

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: PAINT

(HYDROCARBONS, C9, AROMATICS)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Marine pollutant: Yes

EVERCRYL ONE COAT

Section 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. Phrases used in 5.2 and 5.3: H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H335: May cause respiratory inflation. H3600: May damage the unborn child. H362: May cause harm to breastfed children. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. R10: Flammable. R22: Harmful if swallowed. R37: Inflating to respiratory system. R36: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50: Very toxic to aquatic organisms. R5153: Toxic to aquatic organisms. R5153: Toxic to aquatic organisms. R5154: Toxic to aquatic organisms. R5154: Toxic to aquatic organisms. R5154: May cause harm to the unborn child. R66: Repeated exposure may cause sind ryness or cracking. R67: Vapours may cause direvsiness and dizziness. Legend to abbreviations: PNC = predicted no effect level DNE = derived no effect level LD50 = median lethal done LC50 = median letha	Other information	
 453/2010. indicates text in the SDS which has changed since the last revision. Phrases used in 5.2 and 3. H305: May be fattal if swallowed an enters ainways. H306: May do use respiratory initiation. H306: May do use respiratory initiation. H306: May do use respiratory initiation. H306: May damage the unborn child. H307: Voice to aquatic life with long lasting effects. H111: Toxic to aquatic life with long lasting effects. H112: Toxic to aquatic life with long lasting effects. H112: Toxic to aquatic life with long lasting effects. H112: Toxic to aquatic life with long lasting effects. H112: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R506: Very toxic to aquatic organisms. R507: Yery toxic to aquatic organisms. R508: Yery toxic to aquatic organisms. R509: Yery toxic to aq		This safety data shoot is propared in accordance with Commission Population (EU) No
* indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s1. H226: Flammable liquid and vapour. H340: May be fatal if swallowed and enters sinways. H335: May cause respiratory inflation. H360: May damage the unborn child. H360: May cause harm to breast-fed children. H362: May cause harm to breast-fed children. H310: Very toxic to aquatic life with long lasting effects. H311: Toxic to aquatic life with long lasting effects. H312: Hammable. R32: Hammuble. R32: Hammuble. R33: Irritating to respiratory system. R34: Tisks of serious damage to eyes. R305: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R30: Size cover toxic to aquatic organisms. R36: May cause harm to the unborn child. R37: Irritating acuse lung damage if swallowed. R36: Hammuble. R36: May cause harm to the unborn child. R4: May cause harm to the unborn child. R4: May cause harm to the unborn child. R4: May cause lung damage if swallowed. R6: Hammuble. R6: Separated exposure may cause slind ghreas or cracking. R6: Greentede covertere adverse effects in the aquatic rev	Other mornation.	
Phrases used in s.2 and s.3: H226: Flammable liquid and vapour. H394: May be fatal if swallowed and enters ainways. H395: May cause respiratory irritation. H396: Way cause harm to breast-fed children. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. R10: Flammable. R22: Harmful if swallowed. R37: Irritating to respiratory system. R38: Irritating to skin. R31: Risk of serious damage to eyes. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50/53: Very toxic to aquatic organisms. R50/53: Very toxic to aquatic organisms. R51/53: Toxic to aquatic organisms. R50/53: Very toxic to aquatic organisms. R50/54: May cause harm to the unborn child. R61: May cause harm to the unborn child. R65: Harmful: may cause king damage if swallowed. R66: Repeated exposure may caus		
H304: May be fatal if swallowed and enters airways.H335: May cause respiratory irritation.H3360: May damage the unborn child.H3600: May damage the unborn child.H3600: Very toxic to aquatic life with long lasting effects.H410: Very toxic to aquatic life with long lasting effects.H411: Toxic to aquatic life with long lasting effects.H311: Taimable.R22: Harmful if swallowed.R37: Irritating to respiratory system.R38: Irritating to sepiratory system.R38: Irritating to sepiratory system.R411: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to breastfed babies.R65: Harmful: may cause harm to breastfed babies.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.Loggend to abbreviationDNEC = predicated no effect levelDNEL = derived no entrationLC50 = median inhibitory concentrationLC50 = median inhibitory concentration<	Phrasos used in s 2 and s 3:	-
H335: May cause respiratory initiation.H3600: May damage the unborn child.H3600: May damage the unborn child.H362: May cause harm to breast-fed children.H410: Very toxic to aquatic life with long lasting effects.H411: Toxic to aquatic life with long lasting effects.H411: Toxic to aquatic life with long lasting effects.R10: Flammable.R22: Harmful if swallowed.R37: Irritating to respiratory system.R38: Irritating to serious damage to eyes.R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.Loggend to abbreviationPNEC = predicted no effect levelDNEC = median lethal doseLC60 = median lethal doseLC60 = median lethal doseLC60 = median lethal doseLC60 = median inhibitory concentrationLC60 =	r mases used in 3.2 and 3.3.	
H360D: May damage the unborn child.H362: May cause harm to breast-fed children.H410: Very toxic to aquatic life with long lasting effects.H411: Toxic to aquatic life with long lasting effects.R10: Flarmable.R22: Harmful if swallowed.R33: Irritating to respiratory system.R38: Irritating to respiratory system.R39: Irritating to expiratory system.R30: CS3: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R50/53: Very toxic to aquatic organisms.R51: May cause harm to the unborn child.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R65: Harmful: may cause long-term adverse effects in the aquatic environment.R67: Vapours may cause skin dyness or cracking.R67: Vapours may cause skin dyness.R67: Vapours may cause skin dyness.DKCL = elerved no effect levelDKCL = elerved no effect levelL050 = median lethal concentrationL050 = median lethal concentrationL050 = median effective concentration <th></th> <th></th>		
H382: May cause harm to breast-fed children.H410: Very toxic to aquatic life with long lasting effects.H411: Toxic to aquatic organisms.H41: Risk of serious damage to eyes.R50: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R50: Very toxic to aquatic organisms.H51: Six Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R62: Harmful: may cause lung damage if swallowed.R63: Pepeted exposure may cause skin dryness or cracking.R63: Pepeted exposure may cause skin dryness.R64: May cause harm to effect levelDNEC = predicted no effect levelDNEC = predicted no effect levelL050 = median lethal doseL050 = median lethal doseL050 = median lethal doseL050 = median effective concentrationL050 = median effective concent		
H410: Very toxic to aquatic life with long lasting effects.H411: Toxic to aquatic life with long lasting effects.H411: Toxic to aquatic life with long lasting effects.R10: Flammable.R22: Hammful if swallowed.R37: Irritating to respiratory system.R38: Irritating to respiratory system.R411: Risk of serious damage to eyes.R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in theaquatic environment.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquaticenvironment.R61: May cause harm to the unborn child.R64: May cause harm to the unborn child.R65: Hammful: may cause long damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.Legend to abbreviationsPNEC = predicted no effect levelLD50 = median lethal doseLC50 = median lethal concentrationLC50 = median lethal doseLC50 = median lethal concentrationw = dry weightb w = body weightc = closed cupc = pen cupMUS = mouse		
H411: Toxic to aquatic life with long lasting effects.R10: Flammable.R22: Harmful if swallowed.R37: Irritating to respiratory system.R38: Irritating to sespiratory system.R38: Irritating to skin.R31: Risk of serious damage to eyes.R50:/53: Very toxic to aquatic organisms, may cause long-term adverse effects in theaquatic environment.R50: Very toxic to aquatic organisms.R51:/53: Toxic to aquatic organisms.R56: R51:/53: Toxic to aquatic organisms.R56: R51:/53: Toxic to aquatic organisms.R56: R51:/53: Toxic to aquatic organisms.R57:/53: Toxic to aquatic organisms.R56: R51:/53: Toxic to aquatic organisms.R57: S71:/53: Toxic to aquatic organisms.R57: S71:/53: Toxic to aquatic organisms.R56: R51:/53: Toxic to aquatic organisms.R57: Vay toxic to aquatic dowsiess and dizziness.Legend to abbreviationL50: = median lethal doseL50: = median lethal doseL50: = median inhibitory concentrationL50: = median inhibitory concentrationL50: = median inhibitory concentrationW = dy weightW = dy weightW = dy weightW = open cup		-
R10: Flammable. R22: Harmful if swallowed. R37: Irritating to respiratory system. R38: Irritating to skin. R41: Risk of serious damage to eyes. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50: Toxic to aquatic organisms. R51/63: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61: May cause harm to the unborn child. R64: May cause harm to the unborn child. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. Legend to abbreviations PNEC = predicted no effect level DNEL = derived no effect level LC50 = median lethal dose LC50 = median lethal dose LC50 = median lethal concentration LC50 = median inhibitory concentration <tr< th=""><th></th><th></th></tr<>		
R22: Harmful if swallowed. R37: Irritating to respiratory system. R38: Irritating to skin. R41: Risk of serious damage to eyes. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50: Very toxic to aquatic organisms. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51: May cause harm to the unborn child. R64: May cause harm to the unborn child. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R66: Repeated exposure may cause skin dryness. R67: Vapours may cause drowsiness and dizziness. Legend to abbreviations PNEC = predicted no effect level DNEL = derived no effect level L500 = median lethal dose LC50 = median effective concentration L650 = median inhibitory concentration L650 = me		
R37: Irritating to respiratory system.R38: Irritating to skin.R41: Risk of serious damage to eyes.R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R50: Very toxic to aquatic organisms.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R66: May cause harm to the unborn child.R66: Repeated exposure may cause skin dryness or cracking.R67: Vagours may cause drowsiness and dizziness.Legend to abbreviationsPNEC = predicted no effect levelDNEL = derived no effect levelL50 = median lethal concentrationLC50 = median lethal concentration </th <th></th> <th></th>		
R38: Irritating to skin. R41: Risk of serious damage to eyes. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61: May cause harm to the unborn child. R64: May cause harm to the unborn child. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. PNEC = predicted no effect level DNEL = derived no effect level LD50 = median lethal dose LC50 = median effective concentration LC50 = median effective concentration LC50 = median inhibitory concentration Wer dry weight w = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		
R41: Risk of serious damage to eyes. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50: Very toxic to aquatic organisms. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61: May cause harm to the unborn child. R64: May cause harm to breastfed babies. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. PNEC = predicted no effect level DNEL = derived no effect level LD50 = median lethal dose LC50 = median effective concentration IC50 = median effective concentration IC50 = median inhibitory concentration IC50 = median inhibitory concentration IC50 = median effective concentration IC50 = median effective concentration IC50 = median inhibitory concentration IC50 = median inhibitory concentration IC50 = median effective concentration IC50 = median inhibitory concentration		
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R50: Very toxic to aquatic organisms.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelL500 = median lethal doseL650 = median effective concentrationIC50 = median inhibitory concentrationdw = dry weightbw = body weightcc = closed cupcc = open cupMUS = mouse		-
aquatic environment.R50: Very toxic to aquatic organisms.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelL50 = median lethal doseL65 = median lethal concentrationEC50 = median effective concentrationL50 = median inhibitory concentrationL50 = median inhibitory concentrationU50 = median inhibitory concentrati		
Ro: Very toxic to aquatic organisms.R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelLD50 = median lethal doseLC50 = median effective concentrationIC50 = median inhibitory concentrationWw = dry weightbw = body weightcw = closed cupoc = open cupMUS = mouse		
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelLD50 = median lethal doseLC50 = median effective concentrationIC50 = median inhibitory concentrationdw = dry weightbw = body weightcc = closed cupoc = open cupMUS = mouse		
environment.R61: May cause harm to the unborn child.R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelLD50 = median lethal doseLC50 = median lethal concentrationEC50 = median inhibitory concentrationIC50 = median inhibitory concentrationMW = dry weightbw = body weightcc = closed cupoc = open cupMUS = mouse		
R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelLD50 = median lethal doseLC50 = median lethal concentrationEC50 = median effective concentrationIC50 = median inhibitory concentrationdw = dry weightbw = body weightcc = closed cupoc = open cupMUS = mouse		
R64: May cause harm to breastfed babies.R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.PNEC = predicted no effect levelDNEL = derived no effect levelLD50 = median lethal doseLC50 = median lethal concentrationEC50 = median effective concentrationIC50 = median inhibitory concentrationdw = dry weightbw = body weightcc = closed cupoc = open cupMUS = mouse		R61: May cause harm to the unborn child.
R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. Legend to abbreviations: PNEC = predicted no effect level DNEL = derived no effect level LD50 = median lethal dose LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		
R67: Vapours may cause drowsiness and dizziness. Legend to abbreviations: PNEC = predicted no effect level DNEL = derived no effect level LD50 = median lethal dose LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		R65: Harmful: may cause lung damage if swallowed.
Legend to abbreviations:PNEC = predicted no effect levelDNEL = derived no effect levelLD50 = median lethal doseLC50 = median lethal concentrationEC50 = median effective concentrationIC50 = median inhibitory concentrationdw = dry weightbw = body weightcc = closed cupoc = open cupMUS = mouse		R66: Repeated exposure may cause skin dryness or cracking.
DNEL = derived no effect level LD50 = median lethal dose LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		R67: Vapours may cause drowsiness and dizziness.
LD50 = median lethal dose LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse	Legend to abbreviations:	PNEC = predicted no effect level
LC50 = median lethal concentration EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		DNEL = derived no effect level
EC50 = median effective concentration IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		LD50 = median lethal dose
IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		LC50 = median lethal concentration
dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse		EC50 = median effective concentration
bw = body weight cc = closed cup oc = open cup MUS = mouse		IC50 = median inhibitory concentration
cc = closed cup oc = open cup MUS = mouse		dw = dry weight
oc = open cup MUS = mouse		bw = body weight
MUS = mouse		cc = closed cup
		oc = open cup
GPG = guinea pig		MUS = mouse
		GPG = guinea pig

EVERCRYL ONE COAT

RBT = rabbitHAM = hamsterHMN = humanMAM = mammalPGN = pigeonIVN = intravenousSCU = subcutaneousSKN = skinDRM = dermalOCC = ocular/cornealPCP = phycico-chemical propertiesLegal disclaimer:The above information is believed to be correct but does not purport to be all inclusive
and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

Page: 9