

FIRE FOAM B1 - HAND HELD AND GUN GRADE

Page: 1

Compilation date: 13/12/10

Revision No: 8

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FIRE FOAM B1 - HAND HELD AND GUN GRADE

Product code: EVFIRE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	EVERBUILD BUILDING PRODUCTS LTD
	SITE 41, KNOWSTHORPE WAY
	CROSS GREEN INDUSTRIAL ESTATE
	LEEDS
	WEST YORKSHIRE
	LS9OSW
	ENGLAND
Tel:	0044 113 240 3456
Fax:	0044 113 240 0024
Email:	pault@everbuild.co.uk
	hau

1.4. Emergency telephone number

Emergency tel: 0044 113 240 3456 (office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

 Classification under CHIP:
 F+: R12; Xi: R36/37/38; Xn: R40; Sens.: R42/43; Xn: R48/20

 Most important adverse effects:
 Extremely flammable. Irritating to eyes, respiratory system and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. Harmful: danger of serious damage to health by prolonged exposure through inhalation.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: Extremely flammable.

Harmful.



Risk phrases: R12: Extremely flammable.

R36/37/38: Irritating to eyes, respiratory system and skin.

R40: Limited evidence of a carcinogenic effect.

FIRE FOAM B1 - HAND HELD AND GUN GRADE

		Page:	2
	R42/43: May cause sensitisation by inhalation and skin contact.		
	R48/20: Harmful: danger of serious damage to health by prolonged exposure through		
	inhalation.		
Safety phrases:	S2: Keep out of the reach of children.		
	S36/37: Wear suitable protective clothing and gloves.		
	S46: If swallowed, seek medical advice immediately and show this container or label.		
	S51: Use only in well-ventilated areas.		
	S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.		
Precautionary phrases:	Contains isocyanates. See information supplied by the manufacturer.		
	Pressurized container: protect from sunlight and do not expose to temperatures		
	exceeding 50°C. Do not pierce or burn, even after use.		
	Do not spray on a naked flame or any incandescent material. Keep away from sources		
	of ignition - No smoking. Keep out of the reach of children.		
2.3. Other hazards			

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
202-966-0	101-68-8	Xn: R20; Xi: R36/37/38; Xn: R40; Sens.: R42/43; Xn: R48/20	Carc. 2: H351; Acute Tox. 4: H332; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317; STOT SE 2: H371; STOT RE 2: H373	10-30%

ISOBUTANE

200-857-2	75-28-5	F+: R12	Flam. Gas 1: H220; Press. Gas: H280	1-10%
		Substance with a Community		
		workplace exposure limit.		

DIMETHYL ETHER

204-065-8	115-10-6	F+: R12	Flam. Gas 1: H220; Press. Gas: H280	1-10%
		Substance with a Community		
		workplace exposure limit.		

FIRE FOAM B1 - HAND HELD AND GUN GRADE

Page: 3

000 007 0	74.00.0	E + D40		4 400/		
200-827-9	74-98-6	F+: R12 Substance with a Community	Flam. Gas 1: H220; Press. Gas: H280	1-10%		
		workplace exposure limit.				
tion 4: First a	id measures					
1 Description	of first aid mea					
	Skin contact:	Remove all contaminated clothes and	footwear immediately unless stuck to skin.			
		Drench the affected skin with running	water for 10 minutes or longer if substance is stil	l		
		on skin. Consult a doctor. Remove/sol	ften cured foam from skin with petroleum jelly or			
		via constant softening with hot soapy	water			
	Eye contact:	Bathe the eye with running water for 1	5 minutes. Consult a doctor.			
	Ingestion:	Wash out mouth with water. Do not inc	duce vomiting. If conscious, give half a litre of wa	iter		
		to drink immediately. Consult a doctor				
	Inhalation:	Remove casualty from exposure ensu	ring one's own safety whilst doing so. Consult a			
		doctor.				
.2. Most impor	tant symptoms	and effects, both acute and delayed				
	Skin contact:	There may be irritation and redness at	t the site of contact.			
	Eye contact:	There may be irritation and redness. T	The eyes may water profusely.			
	Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach				
		pain may occur. There may be vomitir				
	Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.				
4.3. Indication of any immediate medical attention and special treatment needed						
		· · · · · · · · · · · · · · · · · · ·				
tion 5: Fire-fi	ghting measu	res				
.1. Extinguishi	ng media					
Exting	uishing media:	Alcohol or polymer foam. Carbon diox	ide. Dry chemical powder. Use water spray to co	ol		
	aloning moulai	containers.				
2 Created her	anda aniaina fua					
.z. Special naz	ards arising fro	m the substance or mixture				
Expo	osure hazards:	Extremely flammable. In combustion e	emits toxic fumes. Forms explosive air-vapour			
		mixture. Vapour may travel consideral	ble distance to source of ignition and flash back.			
.3. Advice for f	ire-fighters					
Advice for	or fire-fighters:	Wear self-contained breathing appara	tus. Wear protective clothing to prevent contact			
		with skin and eyes.				
		· ····· -··· , ·				

FIRE FOAM B1 - HAND HELD AND GUN GRADE

6.1. Personal precautions, prot	tective equipment and emergency procedures	
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from	
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	
	contaminated area with signs and prevent access to unauthorised personnel. Turn	
	leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of	
	ignition.	
6.2. Environmental precautions	5	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for c	containment and cleaning up	
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific	
	substance. Do not use equipment in clean-up procedure which may produce sparks.	
	Allow product to solidify and remove it by mechanical means. Remove uncured foam	
	with acetone Transfer to a closable, labelled salvage container for disposal by an	
	appropriate method.	
6.4. Reference to other section	S	
6.4. Reference to other section ection 7: Handling and storag		
	ge	
ection 7: Handling and stora 7.1. Precautions for safe handl	ge	
ection 7: Handling and stora 7.1. Precautions for safe handl	ge ing	
ection 7: Handling and stora 7.1. Precautions for safe handl	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements:	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area.	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Store in original	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Store in original containers between +5 and +25°C. Storage outside these paramaters will dramatically	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag Storage conditions:	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Store in original containers between +5 and +25°C. Storage outside these paramaters will dramatically reduce shelf life and invalidates all product warrenties.	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag Storage conditions:	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Store in original containers between +5 and +25°C. Storage outside these paramaters will dramatically	
ection 7: Handling and storag 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storag Storage conditions:	ge ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. e, including any incompatibilities Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Store in original containers between +5 and +25°C. Storage outside these paramaters will dramatically reduce shelf life and invalidates all product warrenties.	

Hazardous ingredients:

FIRE FOAM B1 - HAND HELD AND GUN GRADE

Page: 5

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

Workplace expo	osure limits:		I	Respirable dust			
State	8 hour T\	WA	15 min. STEL	8 hour TWA	15 min. STEL		
UK	0.02 mg/m3		0.07 mg/m3	-	_		
ISOBUTANE							
UK	24	00 mg/m3	9600 mg/m3	-	-		
DIMETHYL ETH	IER						
UK	7	66 mg/m3	958 mg/m3	-	-		
PROPANE				L. L			
UK	18	00 mg/m3	7200 mg/m3	-	-		
8.1. DNEL/PNEC \							
	ONEL / PNEC	No data ava	ailable.				
8.2. Exposure cor	ntrols						
Engineerin	g measures:	Ensure ther	e is sufficient ventilation of the	ne area. Ensure lighting and el	ectrical		
		equipment are not a source of ignition.					
Respirator	y protection:	Gas/vapour	filter, type A: organic vapou	rs (EN141). must be worn if va	pour concentration		
		is above OES or if ventilation is poor Self-contained breathing apparatus must be					
		available in	available in case of emergency.				
Hane	d protection:	Impermeab	permeable gloves.				
Ey	e protection:	Safety glass	lasses. Ensure eye bath is to hand.				
Skii	n protection:	Impermeab	le protective clothing.				
ction 9: Physica	I and chemic	cal propert	ies				
9.1. Information o	n basic physic	cal and che	mical properties				
	State:	Aerosol					
	Colour:	Pink					
	Odour:	Barely perc	eptible odour				
Solubi	ility in water:	Insoluble					
	Viscosity:	Highly visco	Dus				
Flash point°C: -4							
9.2. Other informa	ation						
Other information: No data ava							
001	information.	No data ava	alladie.				

10.1. Reactivity

FIRE FOAM B1 - HAND HELD AND GUN GRADE

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion

emits toxic fumes of hydrogen cyanide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

ORL	MUS	LD50	2200	mg/kg
ORL	RAT	LD50	9200	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT INH DRM	Hazardous: calculated
Sensitisation	INH DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

FIRE FOAM B1 - HAND HELD AND GUN GRADE

Page: 7

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: VOC 20% w/w

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity. Not dangerous to ozone layer (1999/45/EC)

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Waste material code (91/689/EEC, Council Decision 2001/118/EC, O.J L47 of	
	16/2/2002): 08 05 01 (waste isocyanates)	
Disposal of packaging:	Waste material code packaging (91/689/EEC); Council decision 2001/118/EC, O.J L47	
	of 16/2/2001) 15 01 10 (packaging containing residues of or contaminated by	
	dangerous substances)	
NB:	The user's attention is drawn to the possible existence of regional or national	

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

FIRE FOAM B1 - HAND HELD AND GUN GRADE

Page: 8

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	H220: Extremely flammable gas.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H335: May cause respiratory irritation.
	H351: Suspected of causing cancer < state route of exposure if it is conclusively proven
	that no other routes of exposure cause the hazard>.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	R12: Extremely flammable.
	R20: Harmful by inhalation.
	R36/37/38: Irritating to eyes, respiratory system and skin.
	R40: Limited evidence of a carcinogenic effect.
	R42/43: May cause sensitisation by inhalation and skin contact.
	R48/20: Harmful: danger of serious damage to health by prolonged exposure through
	inhalation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.