



## SAFETY DATA SHEET DE-ICER AEROSOL

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name DE-ICER AEROSOL  
Product No. CDG300, CDG600, PLD600, JSB110, AOD300, AOD600, DPB600, EDI300, EDI600, FDI600, FID300, NDI311, NDI601, NDI604, PPD300, PPD600, SDI311, SDI600, SFD131, DPB300, ADI600, DIA003, FDI601, FID301, IDI612, NDI612, PRO600, RDI300

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Antifreeze liquid.

#### 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED  
BEVIS GREEN WORKS  
WALMERSLEY  
BURY  
BL9 6RE  
0161 764 5981  
0161 797 5899  
info@tetrosyl.com  
Manufacturer TETROSYL LIMITED  
BEVIS GREEN WORKS  
WALMERSLEY  
BURY  
BL9 6RE  
0161 764 5981  
0161 797 5899  
info@tetrosyl.com

#### 1.4. Emergency telephone number

0161 764 5981

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Flam. Aerosol 1 - H222
Human health	Not classified.
Environment	Not classified.

Classification (1999/45/EEC) F+;R12.

The Full Text for all R-Phrases and Hazard Statements are Displaved in Section 16.

#### 2.2. Label elements

**DE-ICER AEROSOL**

Label In Accordance With (EC) No. 1272/2008



Signal Word	Danger	
Hazard Statements	H222	
Precautionary Statements	Extremely flammable aerosol.	
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Pressurized container: Do not pierce or burn, even after use.
	P410+412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

**2.3. Other hazards**

This product does not contain any PBT or vPvB substances.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

AMMONIA ...%			<0.5
CAS-No.: 1336-21-6	EC No.: 215-647-6		
Classification (EC 1272/2008)	Classification (67/548/EEC)		
Skin Corr. 1B - H314	C;R34		
STOT SE 3 - H335	N;R50		
Aquatic Acute 1 - H400			
BUTANE/PROPANE BLEND			1-5%
CAS-No.: 68476-85-7	EC No.: 270-704-2		
Classification (EC 1272/2008)	Classification (67/548/EEC)		
Flam. Liq. 1 - H224	F+;R12.		
ETHANEDIOL			5-10%
CAS-No.: 107-21-1	EC No.: 203-473-3	Registration Number: 01-2119456816-28	
Classification (EC 1272/2008)	Classification (67/548/EEC)		
Acute Tox. 4 - H302	Xn;R22		

## DE-ICER AEROSOL

ETHANOL		10-30%
CAS-No.: 64-17-5	EC No.: 200-578-6	
Classification (EC 1272/2008) Flam. Liq. 2 - H225		Classification (67/548/EEC) F;R11
IPA		1-5%
CAS-No.: 67-63-0	EC No.: 200-661-7	Registration Number: 01-2119457558-25-XXXX
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		Classification (67/548/EEC) F;R11 Xi;R36 R67
METHANOL		1.3258%
CAS-No.: 67-56-1	EC No.: 200-659-6	Registration Number: 01-2119433307-44
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 2 - H330 STOT SE 1 - H370		Classification (67/548/EEC) F;R11 T;R23/24/25,R39/23/24/25

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: FIRST AID MEASURES

##### 4.1. Description of first aid measures

###### General information

Get medical attention if any discomfort continues. Remove affected person from source of contamination.

General first aid, rest, warmth and fresh air. NOTE! Effects may be delayed. Keep affected person under observation.

###### Inhalation

Remove victim immediately from source of exposure. In case of inhalation of spray mist: Move person into fresh air and keep at rest. Move injured person into fresh air and keep person calm under observation. If necessary, seek hospital and bring these instructions. Be aware that symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Immediately call an ambulance.

###### Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Provide rest, warmth and fresh air. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

###### Skin contact

Wash skin thoroughly with soap and water. Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.

###### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Do not rub eye. Get medical attention promptly if symptoms occur after washing.

**DE-ICER AEROSOL****4.2. Most important symptoms and effects, both acute and delayed**

## General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. NOTE! Effects may be delayed. Keep affected person under observation.

## Inhalation

May cause an asthma-like shortness of breath. In case of overexposure, organic solvents may depress the central nervous system causing dizziness and intoxication, and at very high concentrations unconsciousness and death. Drowsiness, dizziness, disorientation, vertigo. Vapours may cause drowsiness and dizziness. In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects.

## Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication. Due to the physical nature of this material it is unlikely that swallowing will occur.

## Skin contact

Prolonged contact may cause redness, irritation and dry skin. May cause skin irritation/eczema.

## Eye contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Vapour, spray or dust may cause chronic eye irritation or eye damage. May cause blurred vision and serious eye damage.

**4.3. Indication of any immediate medical attention and special treatment needed**

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

**SECTION 5: FIREFIGHTING MEASURES****5.1. Extinguishing media**

## Extinguishing media

Use: Foam, carbon dioxide or dry powder. Water spray. Use fire-extinguishing media appropriate for surrounding materials.

## Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

## Hazardous combustion products

In case of fire, toxic gases (CO, CO<sub>2</sub>, NO<sub>x</sub>) may be formed. During fire, toxic gases (CO, CO<sub>2</sub>, NO<sub>x</sub>) are formed.

## Unusual Fire &amp; Explosion Hazards

Extremely flammable. Severe explosion hazard when vapours are exposed to flames. Risk of explosion if heated. Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back. Heat may cause the containers to explode. Aerosol cans may explode in a fire.

## Specific hazards

Aerosol containers can explode when heated, due to excessive pressure build-up. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive air mixtures even at room temperature.

**5.3. Advice for firefighters**

## Special Fire Fighting Procedures

Be aware of risk of fire re-starting, and risk of explosion. Cool containers exposed to flames with water until well after the fire is out. Use water to keep fire exposed containers cool and disperse vapours.

## Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**DE-ICER AEROSOL****6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and aerosol spray. In case of spills, beware of slippery floors and surfaces.

**6.2. Environmental precautions**

Avoid discharge into drains, water courses or onto the ground. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

**6.3. Methods and material for containment and cleaning up**

For waste disposal, see section 13. If leakage cannot be stopped, evacuate area. Stop leak if possible without risk. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Remove sources of ignition. Collect with absorbent, non-combustible material into suitable containers.

**6.4. Reference to other sections**

Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Read and follow manufacturer's recommendations. Eliminate all sources of ignition. Wear full protective clothing for prolonged exposure and/or high concentrations. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Avoid inhalation of vapours/spray and contact with skin and eyes. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Do not use in confined spaces without adequate ventilation and/or respirator. Mechanical ventilation or local exhaust ventilation may be required. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Keep upright. Protect against physical damage and/or friction. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Do not store for long periods or in large quantities. Store in a cool and well-ventilated place. Store in a dry place. Do not store near heat sources or expose to high temperatures.

Storage Class

Flammable liquid storage.

**7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
AMMONIA ...%	WEL		18 mg/m <sup>3</sup>		25 mg/m <sup>3</sup>	
BUTANE/PROPANE BLEND	WEL	1000 ppm	1750 mg/m <sup>3</sup>	1250 ppm	2180 mg/m <sup>3</sup>	Carc
ETHANEDIOL	WEL	20 ppm	10 mg/m <sup>3</sup>	40 ppm	104 mg/m <sup>3</sup>	Sk
ETHANOL	WEL	1000 ppm	1920 mg/m <sup>3</sup>			
IPA	WEL	400 ppm	999 mg/m <sup>3</sup>	500 ppm	1250 mg/m <sup>3</sup>	
METHANOL	WEL	200 ppm	266 mg/m <sup>3</sup>	250 ppm	333 mg/m <sup>3</sup>	Sk

**DE-ICER AEROSOL**

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

Carc = Capable of causing cancer and/or heritable genetic damage.

**8.2. Exposure controls**

## Protective equipment



## Engineering measures

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of spray.

Provide explosion proof ventilation for high concentrations.

## Respiratory equipment

In case of inadequate ventilation use suitable respirator.

## Hand protection

No specific hand protection noted, but gloves may still be advisable.

## Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

## Other Protection

Provide eyewash station. Wear appropriate clothing to prevent repeated or prolonged skin contact.

## Hygiene measures

Wash contaminated clothing before reuse. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap &amp; water if skin becomes contaminated. DO NOT SMOKE IN WORK AREA! When using do not eat, drink or smoke.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Appearance	Aerosol.
Colour	Blue.
Odour	Ammonia.
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	Technically not feasible.
Melting point (°C)	-25°C
Relative density	0.960
Vapour density (air=1)	Not determined.
	Scientifically unjustified.
Vapour pressure	Not determined.
Evaporation rate	Not determined.
	Scientifically unjustified.
pH-Value, Conc. Solution	11.0
Viscosity	1 cP 20°C

**DE-ICER AEROSOL**

Decomposition temperature (°C)

Not determined.

Scientifically unjustified.

Odour Threshold, Lower

Not determined.

Scientifically unjustified.

Odour Threshold, Upper

Not determined.

Scientifically unjustified.

Flash point (°C)

Technically not feasible.

Auto Ignition Temperature (°C)

Not determined.

Scientifically unjustified.

Flammability Limit - Lower(%)

Not determined.

Scientifically unjustified.

Flammability Limit - Upper(%)

Not determined.

Scientifically unjustified.

Partition Coefficient

(N-Octanol/Water)

Not determined.

-1.36

Scientifically unjustified.

Oxidising properties

Not determined.

**9.2. Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

No specific reactivity hazards associated with this product.

**10.2. Chemical stability**

Stable under normal temperature conditions and recommended use.

**10.3. Possibility of hazardous reactions**

Not relevant

**10.4. Conditions to avoid**

Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.

**10.5. Incompatible materials**

Materials To Avoid

No incompatible groups noted.

**10.6. Hazardous decomposition products**

None under normal conditions.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

Toxic Dose 1 - LD 50

6000-13000 mg/kg (oral rat)

**DE-ICER AEROSOL**

Toxic Dose 2 - LD 50  
>22270 mg/kg (oral rat)

Carcinogenicity:

Does not contain any substances known to be carcinogenic.

Reproductive Toxicity:

No evidence of reproductive toxicity in animal studies

## Target Organs

Central nervous system

Central nervous system depression including narcotic effects such as drowsiness, narcosis, reduced alertness, loss of reflexes, lack of coordination and vertigo.

## Target Organs

Skin

Morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction.

Aspiration hazard:

Not relevant, due to the form of the product.

## General information

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

## Inhalation

Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

## Ingestion

Harmful if swallowed. May cause stomach pain or vomiting.

## Skin contact

Slightly irritating.

## Eye contact

Irritating to eyes.

## Health Warnings

This chemical can be hazardous when inhaled and/or touched.

## Route of entry

Inhalation. Skin and/or eye contact.

## Target Organs

Central nervous system Eyes Skin

## Medical Symptoms

Skin irritation. Irritation of eyes and mucous membranes. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo.

## Medical Considerations

Skin disorders and allergies. Pre-existing eye problems.

**SECTION 12: ECOLOGICAL INFORMATION**

## Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.



**DE-ICER AEROSOL****12.1. Toxicity**

LC 50, 96 Hrs, Fish mg/l 18000-46000 (Ethanediol) mg/l

Acute Toxicity - Fish

Not available.

EC 50, 48 Hrs, Daphnia, mg/l 46300-51100 (Ethanediol) mg/l

Acute Toxicity - Aquatic Invertebrates

Not available.

**12.2. Persistence and degradability**

Degradability

The product is biodegradable.

**12.3. Bioaccumulative potential**

Bioaccumulative potential

Will not bio-accumulate.

Partition coefficient

Not determined. -1.36

Scientifically unjustified.

**12.4. Mobility in soil**

Adsorption/Desorption Coefficient

Not available.

**12.5. Results of PBT and vPvB assessment**

Not Classified as PBT/vPvB by current EU criteria.

**12.6. Other adverse effects**

Not available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

General information

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Do not puncture or incinerate even when empty.

**13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Confirm disposal procedures with environmental engineer and local regulations.

**SECTION 14: TRANSPORT INFORMATION****14.1. UN number**

UN No. (ADR/RID/ADN) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

**14.2. UN proper shipping name**

Proper Shipping Name AEROSOLS

**14.3. Transport hazard class(es)**

ADR/RID/ADN Class 2.1

ADR/RID/ADN Class Class 2: Gases

ADR Label No. 2.1

**DE-ICER AEROSOL**

IMDG Class 2.1  
ICAO Class/Division 2.1  
Transport Labels

**14.4. Packing group**

ADR/RID/ADN Packing group #  
IMDG Packing group #  
ICAO Packing group #

**14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant  
No.

**14.6. Special precautions for user**

EMS F-D, S-U

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION**

Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 11/09/2013  
Revision 15  
Supersedes date 12/06/2012 V14  
Safety Data Sheet Status Approved.

**DE-ICER AEROSOL**

## Risk Phrases In Full

R34	Causes burns.
R12	Extremely flammable.
R22	Harmful if swallowed.
R11	Highly flammable
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
R67	Vapours may cause drowsiness and dizziness.
R50	Very toxic to aquatic organisms.

## Hazard Statements In Full

H370	Causes damage to organs <<Organs>>.
H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H222	Extremely flammable aerosol.
H224	Extremely flammable liquid and vapour.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H225	Highly flammable liquid and vapour.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H400	Very toxic to aquatic life.